



## DORA CREEK WASTEWATER TREATMENT WORKS - ANNUAL POLLUTION MONITORING SUMMARY

Environment Protection Licence No. 1771  
 Date Obtained: 1 July 2017  
 Date Published: 14 July 2017

Hunter Water Corporation  
 36 Honeysuckle Drive  
 NEWCASTLE WEST NSW 2302

### QUALITY MONITORING

| EPA Id. No. 15<br>Site Code 5OV0800 |                      | Site Description - Dora Creek WWTW overflow |   |  |         |              |               |              |               |            |             |               |                |               |
|-------------------------------------|----------------------|---|---|--|---------|--------------|---------------|--------------|---------------|------------|-------------|---------------|----------------|---------------|
| Pollutant                           | Unit of Measurement  | Sampling Frequency                          | No. of times measured during the year for licence reporting # | Annual Summary<br>1 July 2016 - 30 June 2017 |         |              |               |              |               |            |             |               |                |               |
|                                     |                      |   |   | Minimum                                      | Maximum | 50%ile Limit | 50%ile Actual | 90%ile Limit | 90%ile Actual | 3DGM Limit | 3DGM Actual | 100%ile Limit | 100%ile Actual | Within Limits |
| Biochemical Oxygen Demand           | milligrams per litre | Daily during any discharge                  | 0   | -  | -       | N/A          | N/A           | N/A          | N/A           | N/A        | N/A         | N/A           | N/A            | N/A           |
| pH                                  | pH                   | Daily during any discharge                  | 0   | -  | -       | N/A          | N/A           | N/A          | N/A           | N/A        | N/A         | N/A           | N/A            | N/A           |
| Total Suspended Solids              | milligrams per litre | Daily during any discharge                  | 0   | -  | -       | N/A          | N/A           | N/A          | N/A           | N/A        | N/A         | N/A           | N/A            | N/A           |

# No samples collected as no overflow occurred during this Annual Return period.